



Rindge Building Department

30 Payson Hill Rd
Rindge NH 03461
Phone: 603-899-5181 Ex 109
Fax: 603-899-2101

INSPECTION SCHEDULE (Minimum 24 Hour Notice)

Contractors are required to schedule their own inspections

** You are required to contact the Building Office before any field alterations are made to the approved submitted plans (Footings relocated, Building construction, Etc.)**

1st Inspection: (Before pouring concrete)

Setbacks (All Setbacks Must Be Flagged), Footing with rebar in place, Measurement for E-911 address number.

2nd Inspection:

Foundation, Waterproofing, and Drainage (Site Plans must be marked with discharge to air location for drainage).

3rd Inspection: (Prior to concealing work within walls and/or ceiling)

Rough Frame - Bedroom egress window sizes, Egresses, Truss Connections, Fire blocking, Draft stops, Bearing wall and beam supports, Exterior Water Tight, Etc.

Rough Electrical - All outlet boxes in concealed walls must be cut-in and made-up, Bathroom exhaust vents must be installed, Nail plates in place, Cables stapled, Etc.

Rough Plumbing – Sanitary drainage filled to the roof with water or 5 psi of air for 20 minutes, Nail plates in place, Pipe supports in place.

Gas Piping - Gas piping requires a minimum of 3 psi of air for 20 minutes. Bonding of CSST is required, listed protective plates for CSST must be used.

Rough Mechanical – No excessive frame cutting, Nail plates in place.

Chimney Inspection - Fire Blocks and Air Gaps between floors and walls. Fireplace transition / damper must be inspected at time of installation.

4th Inspection:

Insulation Inspection, Proper Vents, Frame Caulking, Fire and Draft Stops.

5th Inspection:

Final Inspections – Electrical, Plumbing, Heating System and Equipment, Energy Code Compliance, Life Safety (Stairs, Railings & Guards, FA System, Etc.), Posted Building Number visible from street.

NOTE: All underground Electric, Plumbing, and Gas Equipment and Lines must be inspected prior to back fill